

# Label 1Ltr (Size: 282mm x 140mm)



'A' watermark 10% of base color

# **Label Size 500ml (Size: 229mm x 110mm)**



# PANTONE 7459 C

# PANTONE 2012 C

# A' watermark 10% of base color

# **Label Size 250ml (Size: 206mm x 77mm)**



# PANTONE 7459 C

# PANTONE 2012 C

# ‘A’ watermark 10% of base color


## Label Size 100ml (Size: 141mm x 76mm)



PANTONE 7459 C



'A' watermark 10% of base color



PANTONE 7459 C





**MAIZOATE® GOLD**  
Emamectin Benzoate 1.5% +  
Fipronil 3.5% SC  
(Insecticide)

This insecticidal combination is used for insect control in chilli against thrips and fruit borer, which contain Emamectin Benzoate 1.5% a.i. + Fipronil 3.5% a.i. and remaining adjuvants.

**Caution:**

- This insecticide is toxic to fish, uses of this product containing should be avoided near aqua culture.
- Do not spray during active bee-foraging period of the day.
- Exposure to birds should be avoided as the product is toxic to birds.

**Recommendation:**

Crop(s)	Common Name of Pest	Dosage/HA	Dilution in Water (Ltr/ha)	Waiting Period between last spray to harvest (days)
Chilli	Thrips, Fruit borer	(7.50+ 17.50) 500 (11.25+ 26.25)	500	3

**Direction of Use:**

- Spray Equipment:** High volume knapsack sprayer with hollow cone nozzle, power operated sprayer machine may be used.
- Limitations for use:** It should not be used in crops where it has not been recommended. It should not be used in combination with any insecticides or plant growth regulators.

**Time of Application:**

Apply the insecticide at vegetative & reproductive stages of crops growth and repeat application as necessary.

**Precaution:**

- Avoid inhalation, eye & skin contact.
- Do not use bare hands and always use rubber gloves & face masks while handling the insecticide.
- Do not eat-drink, chew or smoke while handling the insecticide.
- Wash contaminated skin and clothes with soap and plenty of water.
- Keep away from animals feed and foodstuff.
- Spray in the direction of wind and wear full protective clothes while mixing the insecticide.

**Symptoms of Poisoning:**

Mainly consists of irritability, lethargy, muscles tremors and in extreme cases convulsions may occur. It may be a combination of dilation of pupils, muscular incoordination and ataxia. Nasal secretion and laboured respiration.

**First Aid:**

- Remove the affected person to a well ventilated area or fresh air.
- In case of skin contact: Remove contaminated clothing and thoroughly wash the affected parts of the body with soap and water.
- In case of eye contact: Rinse eye with clean water for several minutes.
- In case of ingestion: Give the patient one or two glasses of water, if able to swallow. Do not induce vomiting. Get the attention of medical doctor immediately.

**Phytotoxicity:**

The product is not phytotoxic when used as per recommendation.

**Antidote:**

No specific antidote is known. Treat symptomatically.

**Disposal of Used Container:**

- Dangerous to reuse empty containers. The used packages should not be left outside to prevent their re-use.
- Packages shall be broken and buried away from the habitation.
- Packages or surplus material and washing should be disposed off in a safe manner so as to prevent environmental and water pollution.

**Storage Conditions:**

- The packages containing insecticide should be stored in original containers in separate rooms or premises away from the rooms or premises used for storing other articles particularly food articles or shall be kept in separate almirahs under lock and key.
- The rooms or premises meant for storing the insecticide shall be well lit and ventilated and of sufficient dimensions to avoid contamination with water.

**Chemical Composition:**

Emamectin Benzoate a.i.	1.50% w/w
Fipronil a.i.	3.50% w/w
Propylene glycol	7.00% w/w
Tristyryl phenol ethoxylate potassium salt	3.00% w/w
Amine salt of Poly aryl phenyl ether phosphate	2.50% w/w
Silicon based emulsion (Anti foaming)	0.20% w/w
Formaldehyde	0.20% w/w
Xanthan Gum	0.40% w/w
D.M. Water	Q.S. %

**Total:** 100.00% w/w

**Caution:** 1. Not to Be Used on Crops other than Specified on this Label/Leaflet. 2. Not to be Used for Post-harvest Application. 3. Destroy the container after use as directed on leaflet. 4. Directions and dosage for poly house and confined area-refer to the leaflet.

**माइजोएट गोल्ड**

इमामेक्टिन बैंजोएट 1.5% +  
फिप्रोनिल 3.5% एस.सी.  
(कीटनाशक)

इस कीटनाशक संयोजन का प्रयोग मिथे चुरवा और फल छेदक के नियंत्रण में किया जाता है। इसमें इमामेक्टिन बैंजोएट 1.5% स.त. + फिप्रोनिल 3.5% स.त. और रोप अजुवेट्स है।

**Caution:**

- This insecticide is toxic to fish, uses of this product containing should be avoided near aqua culture.
- Do not spray during active bee-foraging period of the day.
- Exposure to birds should be avoided as the product is toxic to birds.

**Recommendation:**

Crop(s)	Common Name of Pest	Dosage/HA	Dilution in Water (Ltr/ha)	Waiting Period between last spray to harvest (days)
Chilli	Thrips, Fruit borer	(7.50+ 17.50) 500 (11.25+ 26.25)	500	3

**Direction of Use:**

- Spray Equipment:** High volume knapsack sprayer with hollow cone nozzle, power operated sprayer machine may be used.
- Limitations for use:** It should not be used in crops where it has not been recommended. It should not be used in combination with any insecticides or plant growth regulators.

**Time of Application:**

Apply the insecticide at vegetative & reproductive stages of crops growth and repeat application as necessary.

**Precaution:**

- Avoid inhalation, eye & skin contact.
- Do not use bare hands and always use rubber gloves & face masks while handling the insecticide.
- Do not eat-drink, chew or smoke while handling the insecticide.
- Wash contaminated skin and clothes with soap and plenty of water.
- Keep away from animals feed and foodstuff.
- Spray in the direction of wind and wear full protective clothes while mixing the insecticide.

**Symptoms of Poisoning:**

Mainly consists of irritability, lethargy, muscles tremors and in extreme cases convulsions may occur. It may be a combination of dilation of pupils, muscular incoordination and ataxia. Nasal secretion and laboured respiration.

**First Aid:**

- Remove the affected person to a well ventilated area or fresh air.
- In case of skin contact: Remove contaminated clothing and thoroughly wash the affected parts of the body with soap and water.
- In case of eye contact: Rinse eye with clean water for several minutes.
- In case of ingestion: Give the patient one or two glasses of water, if able to swallow. Do not induce vomiting. Get the attention of medical doctor immediately.

**Phytotoxicity:**

The product is not phytotoxic when used as per recommendation.

**Antidote:**

No specific antidote is known. Treat symptomatically.

**Disposal of Used Container:**

- Dangerous to reuse empty containers. The used packages should not be left outside to prevent their re-use.
- Packages shall be broken and buried away from the habitation.
- Packages or surplus material and washing should be disposed off in a safe manner so as to prevent environmental and water pollution.

**Storage Conditions:**

- The packages containing insecticide should be stored in original containers in separate rooms or premises away from the rooms or premises used for storing other articles particularly food articles or shall be kept in separate almirahs under lock and key.
- The rooms or premises meant for storing the insecticide shall be well lit and ventilated and of sufficient dimensions to avoid contamination with water.

**Chemical Composition:**

Emamectin Benzoate a.i.	1.50% w/w
Fipronil a.i.	3.50% w/w
Propylene glycol	7.00% w/w
Tristyryl phenol ethoxylate potassium salt	3.00% w/w
Amine salt of Poly aryl phenyl ether phosphate	2.50% w/w
Silicon based emulsion (Anti foaming)	0.20% w/w
Formaldehyde	0.20% w/w
Xanthan Gum	0.40% w/w
D.M. Water	Q.S. %

**Total:** 100.00% w/w

**Caution:** 1. Not to Be Used on Crops other than Specified on this Label/Leaflet. 2. Not to be Used for Post-harvest Application. 3. Destroy the container after use as directed on leaflet. 4. Directions and dosage for poly house and confined area-refer to the leaflet.

**माइजोएट गोल्ड**

इमामेक्टिन बैंजोएट 1.5% +  
फिप्रोनिल 3.5% एस.सी.  
(कीटनाशक)

इस कीटनाशक संयोजन का प्रयोग मिथे चुरवा और फल छेदक के नियंत्रण में किया जाता है। इसमें इमामेक्टिन बैंजोएट 1.5% स.त. + फिप्रोनिल 3.5% स.त. और रोप अजुवेट्स है।

**Caution:**

- This insecticide is toxic to fish, uses of this product containing should be avoided near aqua culture.
- Do not spray during active bee-foraging period of the day.
- Exposure to birds should be avoided as the product is toxic to birds.

**Recommendation:**

Crop(s)	Common Name of Pest	Dosage/HA	Dilution in Water (Ltr/ha)	Waiting Period between last spray to harvest (days)
Chilli	Thrips, Fruit borer	(7.50+ 17.50) 500 (11.25+ 26.25)	500	3

**Direction of Use:**

- Spray Equipment:** High volume knapsack sprayer with hollow cone nozzle, power operated sprayer machine may be used.
- Limitations for use:** It should not be used in crops where it has not been recommended. It should not be used in combination with any insecticides or plant growth regulators.

**Time of Application:**

Apply the insecticide at vegetative & reproductive stages of crops growth and repeat application as necessary.

**Precaution:**

- Avoid inhalation, eye & skin contact.
- Do not use bare hands and always use rubber gloves & face masks while handling the insecticide.
- Do not eat-drink, chew or smoke while handling the insecticide.
- Wash contaminated skin and clothes with soap and plenty of water.
- Keep away from animals feed and foodstuff.
- Spray in the direction of wind and wear full protective clothes while mixing the insecticide.

**Symptoms of Poisoning:**

Mainly consists of irritability, lethargy, muscles tremors and in extreme cases convulsions may occur. It may be a combination of dilation of pupils, muscular incoordination and ataxia. Nasal secretion and laboured respiration.

**First Aid:**

- Remove the affected person to a well ventilated area or fresh air.
- In case of skin contact: Remove contaminated clothing and thoroughly wash the affected parts of the body with soap and water.
- In case of eye contact: Rinse eye with clean water for several minutes.
- In case of ingestion: Give the patient one or two glasses of water, if able to swallow. Do not induce vomiting. Get the attention of medical doctor immediately.

**Phytotoxicity:**

The product is not phytotoxic when used as per recommendation.

**Antidote:**

No specific antidote is known. Treat symptomatically.

**Disposal of Used Container:**

- Dangerous to reuse empty containers. The used packages should not be left outside to prevent their re-use.
- Packages shall be broken and buried away from the habitation.
- Packages or surplus material and washing should be disposed off in a safe manner so as to prevent environmental and water pollution.

**Storage Conditions:**

- The packages containing insecticide should be stored in original containers in separate rooms or premises away from the rooms or premises used for storing other articles particularly food articles or shall be kept in separate almirahs under lock and key.
- The rooms or premises meant for storing the insecticide shall be well lit and ventilated and of sufficient dimensions to avoid contamination with water.

**Chemical Composition:**

Emamectin Benzoate a.i.	1.50% w/w
Fipronil a.i.	3.50% w/w
Propylene glycol	7.00% w/w
Tristyryl phenol ethoxylate potassium salt	3.00% w/w
Amine salt of Poly aryl phenyl ether phosphate	2.50% w/w
Silicon based emulsion (Anti foaming)	0.20% w/w
Formaldehyde	0.