




PARTY : PRABHUKRUPA
JOB NAME : MILOR MZ SYSTEMIC AND CONTACT FUNGICIDE 500G
DATE : 30.10.2023
ARTIST : KP

This JPEG / PRINT may not be mached exactly with our Gravure Cylinder Proof.
While every effort has been made to carry out instruction to the customer's satisfaction, we will not be liable for errors not noted on this print. Customers are requested to check the Artwork along with it's dimensions throughly before authorising for Engraving.



COMMON

COMMON

COMMON

500. mm
117.5 mm
235. mm
117.5 mm
15 mm
15 mm

MILOR[®] MZ

Metalaxyl 8% + Mancozeb 64% WP
(Systemic and Contact Fungicide)

Read enclosed leaflet before use. Chemical Composition: Metalaxyl a.i.: 8.00% w/w, Mancozeb a.i.: 64.00% w/w, Dispersing Agent: Condensate of Formaldehyde & naphthelene Phenol sulfonic acid sodium salt or equiv.: 1.40 % w/w, Wetting Agent: Stearylbenzimidazole disulphonic acid sodium salt or equivalent: 0.60 % w/w, Carriers: Silica acid: 0.60 % w/w, Kaolin: QS % w/w, Total: 100 % w/w. Direction Of Use: Read attached leaflet before use. Precautions: Do not use cooking utensils for preparing spray. Use stick for stirring the spray solution. Wear hand gloves to avoid contact with the skin. Also avoid inhalation and contact with eye. Wear protective clothing, mask, goggles, boots while spraying and do not expose yourself to spray drift. Do not blow nozzles with mouth. Do not eat, drink or smoke while handling or applying the product. Do not store unused spray solution. Clean sprayer, buckets and other utensils with water daily after use. Wash hand with soap and plenty of water and change clothes after the work is over. Also wash the contaminated clothes. Do not contaminate streams, ponds, waterways etc. by discharging leftover spray materials into them or by cleaning sprayers, contaminated buckets etc. in them. Do not use spray when bees are active. When used at recommended dosages, no adverse effect on wild life is expected. In case of any sign of poisoning, immediately consult the doctor. Antidote: No specific antidote is known, Treat symptomatically. First Aid: Read attached leaflet before use. Symptoms: Sedation, dyspnoea, exophthalmos, abnormal posture, tightness in muscles may occur. Recommendations: For the control of downy mildew of grapevine, damping off, leaf blight and black shank disease in tobacco in nursery, late blight in potato, white rust and Alternaria blight in mustard, Phytophthora foot rot in black pepper and downy mildew in pearl millet. Warning: 1) Not to be used on crops other than those mentioned on label and leaflets. 2) Not to be used for Post-Harvest Application. 3) Destroy the container after use as directed on leaflet. 4) Directions and dosage for poly houses and confined area - Refer the leaflet.

मिलोर एमजेड


मेटालेक्सिल ८% + मेन्कोजेब ६४% घुलनशील चूर्ण
(अंतर्प्रवाही एवं स्पर्शीय फफूंदनाशक)

उपयोग से पहले संलग्न पत्रिका पढ़ें। रासायनिक संरचना: मेटालेक्सिल सं: त: ८.००% भार/भार, मेन्कोजेब टैक्निकल: ६४.००% भार/भार, फैलाने वाला: कन्डेन्सेट ऑफ फॉर्मलिन डिहाइड और नेफथालीन फिनॉल सल्लोसोल्ड एमिड सोडियम सल्ट) या कोई और: १.४०% भार/भार, बिगने वाला पदार्थ: स्टिकाइल बेंजीडिमिडाजोल डीसल्फोसोल्ड एमिड सोडियम सल्ट या समानांतर: ०.६०% भार/भार, वाहक पदार्थ: सिलिका एमिड: ०.६०% भार/भार, कार्बोसिल: पर्याप्त मात्रा % भार/भार, कुल: १००% भार/भार. उपयोग के लिए दिशा-निर्देश: इस्तेमाल करने से पहले संलग्न लीफलेट पढ़ें। प्रयोगकर्ताओं के लिए सावधानियाँ: छिड़काव को धीरे धीरे करने के लिए खाना पकाने के बर्तनों का इस्तेमाल न करें। धूल बनाने समय छड़ी का उपयोग करें। त्वचा से संपर्क बचाने के लिए शर्टों में दस्ताने पहनें, दवा आँखों में न लगने दें और न ही उसे सांस दारा अंदर जाने दें। छिड़काव के समय सुरक्षात्मक कपड़े, मास्क व गॉगल पहनें और छिड़काव की फुहारों से बचें। खोलल को मुँह से न फूँके और उपयोग के समय न खाये, न पिये और न ही धूम्रपान करें, बचे हुए पोल को दूसरे दिन के लिए न रखा। फव्वारे, बाल्टी और अन्य बर्तनों को इस्तेमाल के बाद रोजाना धो लें। काम के बाद हाथ को साबुन व पानी से धो लें और कपड़े बदल लें। इस्तेमाल करणों को भी धो लें। इन्होंने, तलाकों एवं अन्य जल स्रोतों को इससे दूषित न करें न तो उनका बचा धो लें और न ही फव्वारे, बाल्टी और अन्य दूषित बर्तनों को उनमें डालें। यदि मधुमक्खियाँ क्रियाशील हो तो स्प्रे न करें यदि निर्दिष्ट मात्रा में उपयोग किया जाए तो पशुधन पर कोई विपरीत असर नहीं होता है। विष लक्षण नजर आते ही डॉक्टर को सलाह लें। विष नाशक: कोई विशिष्ट विषनाशक नहीं है, लक्षणनुसार इलाज करें। प्राथमिक चिकित्सा: इस्तेमाल करने से पहले संलग्न लीफलेट पढ़ें। लक्षण: आँखों का बाहर को आना, ज्वारा सुस्ती आना, सांस लेने में तकलीफ, अस्मान्य अवस्था, मांस पैणियाँ में तनाव हो सकते हैं। उपयोग: अंगूर के मुद्दोमिल आसिता, तम्बाकू (पीप) का आग्र गलतन, पर्ण अंग माती, काता तना, आलू के पहेता कुलसा रोग, सरसों का सफेद, गेरुआ और अल्टरनेरिया अंगमारी, काली मिर्च का फायटोथोरा निचला स्तरीय विगलन रोग तथा बाजरा का मुद्दोमिल आसिता रोग के निवृत्तन के लिए। चेतावनी: १) लेबल और सूचना पत्रक पर सूचित फसलों और कीटों के अलावा अन्य किसी फसल या कीटों पर इस्तेमाल ना करें. २) फसल कटाई के बाद के कामों के लिए इस्तेमाल ना करें. ३) पत्रक पर दिए गए निर्देशों के अनुसार कंटेनर नष्ट करें. ४) पॉली हाउस और बंद इलाका और मात्रा के बारे में निर्देशों के लिए पत्रक देखें.

मिलोर ऐमजेड

मेटालेक्सिल ८% + मेन्कोजेब ६४% मिश्रणशील चूर्ण
(अंतःप्रवाही एवं स्पर्शीय फूँगनाशक)

उपयोग धीं पहले संलग्न पत्रिका पढ़ें। रासायनिक संरचना: मेटालेक्सिल ओ.आर्.डी.: ८.००% भार/भार, मेन्कोजेब टैक्निकल: ६४.००% भार/भार, डेलायनार: कन्डेन्सेट ऑफ फॉर्मलिन डिहाइड और नेफथालीन फिनॉल सल्लोसोल्ड एमिड सोडियम सल्ट) अथवा कोई अन्य: १.४०% भार/भार, बिगने वाला पदार्थ: स्टिकाइल बेंजीडिमिडाजोल डीसल्फोसोल्ड एमिड सोडियम सल्ट अथवा समानांतर: ०.६०% भार/भार, वाहक पदार्थ: सिलिका एमिड: ०.६०% भार/भार, कार्बोसिल: पर्याप्त मात्रा % भार/भार, कुल: १००% भार/भार. उपयोग के लिए निर्देश: उपयोग करवा पूरे संलग्न लीफलेट पढ़ें। प्रयोगकर्ताओं के लिए सावधानियाँ: छिड़काव को धीरे धीरे करने के लिए खाना पकाने के बर्तनों का इस्तेमाल न करें। धूल बनाने समय छड़ी का उपयोग करें। त्वचा से संपर्क बचाने के लिए शर्टों में दस्ताने पहनें, दवा आँखों में न लगने दें और न ही उसे सांस दारा अंदर जाने दें। छिड़काव के समय सुरक्षात्मक कपड़े, मास्क व गॉगल पहनें और छिड़काव की फुहारों से बचें। खोलल को मुँह से न फूँके और उपयोग के समय न खाये, न पिये और न ही धूम्रपान करें, बचे हुए पोल को दूसरे दिन के लिए न रखा। फव्वारे, बाल्टी और अन्य बर्तनों को इस्तेमाल के बाद रोजाना धो लें। काम के बाद हाथ को साबुन व पानी से धो लें और कपड़े बदल लें। इस्तेमाल करणों को भी धो लें। इन्होंने, तलाकों एवं अन्य जल स्रोतों को इससे दूषित न करें न तो उनका बचा धो लें और न ही फव्वारे, बाल्टी और अन्य दूषित बर्तनों को उनमें डालें। यदि मधुमक्खियाँ क्रियाशील हो तो स्प्रे न करें यदि निर्दिष्ट मात्रा में उपयोग किया जाए तो पशुधन पर कोई विपरीत असर नहीं होता है। विष लक्षण नजर आते ही डॉक्टर को सलाह लें। विष नाशक: कोई विशिष्ट विषनाशक नहीं है, लक्षणनुसार इलाज करें। प्राथमिक चिकित्सा: इस्तेमाल करने से पहले संलग्न लीफलेट पढ़ें। लक्षण: आँखों का बाहर को आना, ज्वारा सुस्ती आना, सांस लेने में तकलीफ, अस्मान्य अवस्था, मांस पैणियाँ में तनाव हो सकते हैं। उपयोग: अंगूर के मुद्दोमिल आसिता, तम्बाकू (पीप) का आग्र गलतन, पर्ण अंग माती, काता तना, आलू के पहेता कुलसा रोग, सरसों का सफेद, गेरुआ और अल्टरनेरिया अंगमारी, काली मिर्च का फायटोथोरा निचला स्तरीय विगलन रोग तथा बाजरा का मुद्दोमिल आसिता रोग के निवृत्तन के लिए। चेतावनी: १) लेबल और सूचना पत्रक पर सूचित फसलों और कीटों के अलावा अन्य किसी फसल या कीटों पर इस्तेमाल ना करें. २) फसल कटाई के बाद के कामों के लिए इस्तेमाल ना करें. ३) पत्रक पर दिए गए निर्देशों के अनुसार कंटेनर नष्ट करें. ४) पॉली हाउस और बंद इलाका और मात्रा के बारे में निर्देशों के लिए पत्रक देखें.



मिलोर ऐमजेड
मैल्डर एमजेड

MILOR[®] MZ

Metalaxyl 8% + Mancozeb 64% WP

मिलोर एमजेड

मेटालेक्सिल ८% + मेन्कोजेब ६४% घुलनशील चूर्ण

SYSTEMIC AND CONTACT FUNGICIDE
अंतर्प्रवाही एवं स्पर्शीय फफूंदनाशक

Net Content 500 gm
शुद्ध मात्रा ५००ग्राम



®-Registered Trademark

Regn. No. : CIR-229972/2022-Metalaxyl + Mancozeb (WP) (442)-554
पंजी. नं./रजि. नं.: सीआयआर-२२९९७२/२०२२-मेटालेक्सिल + मेन्कोजेब (डब्ल्यू. पी.) (४४२)-५५४
Mfg. Lic No. : ML/JDPP/2022-23/187
उत्पादन लाइसेंस नं./६.सा.नं.: एमएल/जेडीपीपी/२०२२-२३/१८७

Manufactured & Marketed By :
M/s Rotam Crop Protection Pvt. Ltd.,
175, Kagalwala House, 2nd Floor, Vidyanagri Marg, Kalina, Santacruz (E), Behind Honda Showroom, Mumbai, Maharashtra- 400098.
Factory Address: G-155, RIICO Industrial Area, Sanwad - Fatehnagar, Mavali, District Udaipur - 313205, Rajasthan, India.
निर्माता और विपणनकर्ता : मेसर्स रोटेम क्रॉप प्रोटेक्शन प्रायव्हेट लिमिटेड, १७५, कागलवाला हाऊस, दुसरी मंजिल, विद्यानगरी मार्ग, कलीना, सांताक्रुज (पू.), होंडा शोरूम के पीछे, मुंबई, महाराष्ट्र - ४०००९८।
फैक्टरी : जी-१५५, रीको इंडस्ट्रियल एरिया, सनवाड-फतेहनगर, तेहसिल-मावली, जीला-उदयपूर - ३१३२०५, राजस्थान, भारत।

Batch No. :
बैच नं. :
नेच नं. :
Mfg. Date :
उत्पादन तिथि :
६त्पादन तारीख :

Exp. Date :
समापन तिथि :
अवधि समाप्ति तारीख :
Maximum retail price inclusive of all taxes in Indian currency ₹ :
अधिकतम खुदरा मूल्य सभी करों सहित भारतीय मुद्रा में ₹ :
वधुभां वधु रीटिल डिभंत इरपेरा साथे भारतीय खलछाभां ₹ :
Unit sale price per gm ₹ :

अधिकतम खुदरा मूल्य सभी करों सहित भारतीय मुद्रा में ₹ :
वधुभां वधु रीटिल डिभंत इरपेरा साथे भारतीय खलछाभां ₹ :
Unit sale price per gm ₹ :

Net Content : 500 g शुद्ध मात्रा : ५०० ग्रा
For any Complaint contact, Customer Care Executive at Registered office address, Tel: 180030003335, Email: contactin@albaughllc.com

Keep in cool, dry place away from heat and open flame
सूखी और ठंडी जगह पर आग से दूर रखें।
For Agricultural Use कृषि उपयोग के लिए



MILOR MZ Metalaxy 8% + Mancozeb 64% WP (Systemic and Contact Fungicide)

Metalaxy 8% + Mancozeb 64% WP is a wettable powder containing a mixture of the systemic fungicide metalaxy and the contact fungicide mancozeb. It contain 80 gm/kg, metalaxy (8% m/m) and 640 gm/kg mancozeb (64% m/m). Metalaxy 8% + Mancozeb 64% WP ensure a double protection to the target plants during the period of active growth from the inside due to systemic activity of metalaxy and from the outside due to contact activity of mancozeb.

Crop(s)	Common Name of Disease	Dosage/HA	Dilution in Water (Ltr)	Waiting Period between last spray to harvest (Weeks)	
Black Pepper	Phytophthora foot rot	1.8 g a.i./ vine or 2.5 g/ 25 or 0.09% a.i.	2.5 g/ 25 or 0.125% a.i.	2 lit/vine (spraying) 5 lit/vine (soil drenching)	Not less than 21 weeks
Grapes	Downy Mildew	2000 or 0.4%	2500 or 0.5%	500	Notless than 7 weeks
Mustard	White rust and Alternaria blight	1800 or 0.18%	2500 or 0.25%	1000	Notless than 8 weeks
Pearl millet	Downy mildew	1400 or 0.14%	2000 or 0.2%	500	Notless than 7 weeks
Potato	Late blight	0.28% or 1800 or 0.18%	0.4% or 2500 or 0.25%	1000	Notless than 7 weeks
Tobacco (Nursery)	Damping off	3600 or 0.072%	5000 or 0.1%	1000	Notless than 7 weeks
	Leaf blight, Black Shank	1440 or 0.14%	2000 or 0.2%	1000	Notless than 7 weeks

Direction of Use: Measure out the required quantity of the product and mix it well with a small quantity of water. Add the remaining quantity of water as specified with thorough agitation. Adjust the quantity of product in proportion to the water required to cover a hectare when high volume spray equipment such as knapsack sprayers, hand compression sprayer are used. It is also suitable for low volume application with motorized knapsack sprayer, mist blowers etc. with flood jet nozzle.

Compatibility: At recommended rates, Metalaxy 8% + Mancozeb 64% WP is compatible with most other commonly used insecticides and fungicides except lime sulphur.

Time of Application: At the time of disease appearance.

Precautions: Do not use cooking utensils for preparing spray. Use stick for stirring the spray solution. Wear hand gloves to avoid contact with the skin. Also avoid inhalation and contact with eye. Wear protective clothing, mask, goggles, boots while spraying and do not expose yourself to spray drift. Do not blow nozzles with mouth. Do not eat, drink or smoke while handling or applying the product. Do not store unused spray solution. Clean sprayer, buckets and other utensils with water daily after use.

Wash hand with soap and plenty of water and change clothes after the work is over. Also wash the contaminated clothes. Do not contaminate streams, ponds, waterways etc. by discharging leftover spray materials into them or by cleaning sprayers, contaminated buckets etc. in them.

Do not use spray when bees are active. When used at recommended dosages, no adverse effect on wild life is expected.

In case of any sign of poisoning, immediately consult the doctor.

Warning: Experience has shown that strains of fungus resistant to metalaxy may develop, resulting in a reduction in the efficacy of the product and thus in yield losses since the occurrence of resistance cannot be foreseen. Registrant, accept no responsibility for any loss of or damages to crop resulting from the failure of Metalaxy 8% + Mancozeb 64% WP to control the resistant strains.

Liability clauses: Recommendations for product usage based on the latest level of expertise of the manufacturer. Many factors such as weather and soil conditions, plant type, resistance, spraying technique and other applications may influence the effect of the product. Since the use of this product is beyond our control, we cannot assume any responsibility other than the uniform quality. The manufacturer warrants the quality of the product if acquired by the user in sealed, original packaging.

Symptoms of Poisoning: Sedation, dyspnoea, exophthalmos, abnormal posture, tightness in muscles may occur.

First Aid: Upon laboratory conditions the following unspecific poisoning symptoms were observed in rats. In case of poisoning , call a physician immediately. In case of poisoning by ingestion through mouth, victim should be induced to vomit. In case of external contamination wash off contamination by soap water and remove the contaminated clothes and keep the victim in fresh air.

Phytotoxicity: The product is not phytotoxic when used as per field recommendation.

Antidote: No specific antidote is known. Treat symptomatically.

Dispose of Used Container: 1. Packages or surplus materials and washing from the machine and containers should be disposed of in a safe manner so as to prevent environmental water pollution. 2. The used packages shall be left to be left outside to prevent their re-use. 3. Packages shall be broken and buried away from habitation.

Storage Conditions: 1. The package containing the fungicides shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles particularly articles of food or shall be kept in separate almirahs under lock and key depending upon the quantity and nature of the fungicide. 2. The room or premises meant for storing the insecticide shall be well built, dry, well lit and ventilation and of sufficient dimension to avoid contamination with vapour.

Chemical Composition:

Metalaxy a.i.	8.00% w/w
Mancozeb a.i.	64.00% w/w
Dispersing Agent: Condensate of Formaldehyde & naphthalene Phenol sulfonic acid sodium salt or equiv.	1.40% w/w
Non-aqueous liquid solvents/organic carrier	
Surfactant	
Wetting Agent: Stearyl-benzimidazole disulphonate acid sodium salt or equivalent	0.60% w/w
Carriers: Silica acid	0.60% w/w
Kaolin	QS % w/w
Total:	100.00% w/w

Labeling: 1. Not to Be Used on Crops other than Specified on this Label/Leaflet. 2. Not to Be Used for Post-harvest Application. 3. Destroy the container after use as directed on leaflet. 4. Directions and dosage for poly house and confined area-refer to the leaflet.

સામાન્ય માહતી:

1. Not to Be Used on Crops other than Specified on this Label/Leaflet.
2. Not to Be Used for Post-harvest Application.
3. Destroy the container after use as directed on leaflet.
4. Directions and dosage for poly house and confined area-refer to the leaflet.

સામાન્ય માહતી:

1. નોટ બે યુસ્ડ ઓન ક્રોપ્સ ઓથર ઠાન સ્પેસિફાઇડ ઓન ડિસલેફલેટ.
2. નોટ ટુ બે યુસ્ડ ફોર પોસ્ટ-હાર્વેસ્ટ અપ્લિકેશન.
3. ડેસ્ટ્રોય ઠાનકોન્ટેનર અફર યુસ્ડ અસ ડિરેક્ટ્ડ ઓન લીફલેટ.
4. ડિરેક્શન્સ ઓન્ડ ડોસેજ ફોર પોલી હાઉસ ઓન્ડ કન્ફાઇન્ડ એરિયા-રેફર ટુ ડિસલેફલેટ લીફલેટ.

મિલોર એમઝેડ

મેટાલેક્સલ 8% + મૅનકોઝેબ 64% યુલનશીલ પાવડર (અંતરપ્રવાહી પૂવં સ્પર્શીય ફન્ફૂટીનાશક)

મેટાલેક્સલ 8% + મૅનકોઝેબ 64% ડબલ્યુ.પી. એક અચ્ચત સક્રિય યુલનશીલ પાવડર છે, જો કિ સિસ્ટેમિક ફન્ફૂટનાશક મેટાલેક્સલ તથા ઢેહિક ફન્ફૂટનાશક મૅનકોઝેબ કા મિશ્રણ છે. ઇસમ 80 ગ્રા/કિલો, મેટાલેક્સલ (8% મ/મ) તથા 640 ગ્રા/કિલો, મૅનકોઝેબ (64% મ/ી) હોતા છે. મેટાલેક્સલ 8% + મૅનકોઝેબ 64% WP ensure a double protection to the target plants during the period of active growth from the inside due to systemic activity of metalaxy and from the outside due to contact activity of mancozeb.

Common Name of Disease	Dosage/HA	Dilution in Water (Ltr)	Waiting Period between last spray to harvest (Weeks)		
Black Pepper	Phytophthora foot rot	1.8 g a.i./ vine or 2.5 g/ 25 or 0.09% a.i.	2 lit/vine (spraying) 5 lit/vine (soil drenching)	Not less than 21 weeks	
Grapes	Downy Mildew	2000 or 0.4%	2500 or 0.5%	500	Notless than 7 weeks
Mustard	White rust and Alternaria blight	1800 or 0.18%	2500 or 0.25%	1000	Notless than 8 weeks
Pearl millet	Downy mildew	1400 or 0.14%	2000 or 0.2%	500	Notless than 7 weeks
Potato	Late blight	0.28% or 1800 or 0.18%	0.4% or 2500 or 0.25%	1000	Notless than 7 weeks
Tobacco (Nursery)	Damping off	3600 or 0.072%	5000 or 0.1%	1000	Notless than 7 weeks
	Leaf blight, Black Shank	1440 or 0.14%	2000 or 0.2%	1000	Notless than 7 weeks

Direction of Use: Measure out the required quantity of the product and mix it well with a small quantity of water. Add the remaining quantity of water as specified with thorough agitation. Adjust the quantity of product in proportion to the water required to cover a hectare when high volume spray equipment such as knapsack sprayers, hand compression sprayer are used. It is also suitable for low volume application with motorized knapsack sprayer, mist blowers etc. with flood jet nozzle.

Compatibility: At recommended rates, Metalaxy 8% + Mancozeb 64% WP is compatible with most other commonly used insecticides and fungicides except lime sulphur.

Time of Application: At the time of disease appearance.

Precautions: Do not use cooking utensils for preparing spray. Use stick for stirring the spray solution. Wear hand gloves to avoid contact with the skin. Also avoid inhalation and contact with eye. Wear protective clothing, mask, goggles, boots while spraying and do not expose yourself to spray drift. Do not blow nozzles with mouth. Do not eat, drink or smoke while handling or applying the product. Do not store unused spray solution. Clean sprayer, buckets and other utensils with water daily after use.

Wash hand with soap and plenty of water and change clothes after the work is over. Also wash the contaminated clothes. Do not contaminate streams, ponds, waterways etc. by discharging leftover spray materials into them or by cleaning sprayers, contaminated buckets etc. in them.

Do not use spray when bees are active. When used at recommended dosages, no adverse effect on wild life is expected.

In case of any sign of poisoning, immediately consult the doctor.

Warning: Experience has shown that strains of fungus resistant to metalaxy may develop, resulting in a reduction in the efficacy of the product and thus in yield losses since the occurrence of resistance cannot be foreseen. Registrant, accept no responsibility for any loss of or damages to crop resulting from the failure of Metalaxy 8% + Mancozeb 64% WP to control the resistant strains.

Liability clauses: Recommendations for product usage based on the latest level of expertise of the manufacturer. Many factors such as weather and soil conditions, plant type, resistance, spraying technique and other applications may influence the effect of the product. Since the use of this product is beyond our control, we cannot assume any responsibility other than the uniform quality. The manufacturer warrants the quality of the product if acquired by the user in sealed, original packaging.

Symptoms of Poisoning: Sedation, dyspnoea, exophthalmos, abnormal posture, tightness in muscles may occur.

First Aid: Upon laboratory conditions the following unspecific poisoning symptoms were observed in rats. In case of poisoning , call a physician immediately. In case of poisoning by ingestion through mouth, victim should be induced to vomit. In case of external contamination wash off contamination by soap water and remove the contaminated clothes and keep the victim in fresh air.

Phytotoxicity: The product is not phytotoxic when used as per field recommendation.

Antidote: No specific antidote is known. Treat symptomatically.

Dispose of Used Container: 1. Packages or surplus materials and washing from the machine and containers should be disposed of in a safe manner so as to prevent environmental water pollution. 2. The used packages shall be left to be left outside to prevent their re-use. 3. Packages shall be broken and buried away from habitation.

Storage Conditions: 1. The package containing the fungicides shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles particularly articles of food or shall be kept in separate almirahs under lock and key depending upon the quantity and nature of the fungicide. 2. The room or premises meant for storing the insecticide shall be well built, dry, well lit and ventilation and of sufficient dimension to avoid contamination with vapour.

Chemical Composition:

Metalaxy a.i.	8.00% w/w
Mancozeb a.i.	64.00% w/w
Dispersing Agent: Condensate of Formaldehyde & naphthalene Phenol sulfonic acid sodium salt or equiv.	1.40% w/w
Non-aqueous liquid solvents/organic carrier	
Surfactant	
Wetting Agent: Stearyl-benzimidazole disulphonate acid sodium salt or equivalent	0.60% w/w
Carriers: Silica acid	0.60% w/w
Kaolin	QS % w/w
Total:	100.00% w/w

Labeling: 1. Not to Be Used on Crops other than Specified on this Label/Leaflet. 2. Not to Be Used for Post-harvest Application. 3. Destroy the container after use as directed on leaflet. 4. Directions and dosage for poly house and confined area-refer to the leaflet.

સામાન્ય માહતી:

1. Not to Be Used on Crops other than Specified on this Label/Leaflet.
2. Not to Be Used for Post-harvest Application.
3. Destroy the container after use as directed on leaflet.
4. Directions and dosage for poly house and confined area-refer to the leaflet.

સામાન્ય માહતી:

1. નોટ બે યુસ્ડ ઓન ક્રોપ્સ ઓથર ઠાન સ્પેસિફાઇડ ઓન ડિસલેફલેટ.
2. નોટ ટુ બે યુસ્ડ ફોર પોસ્ટ-હાર્વેસ્ટ અપ્લિકેશન.
3. ડેસ્ટ્રોય ઠાનકોન્ટેનર અફર યુસ્ડ અસ ડિરેક્ટ્ડ ઓન લીફલેટ.
4. ડિરેક્શન્સ ઓન્ડ ડોસેજ ફોર પોલી હાઉસ ઓન્ડ કન્ફાઇન્ડ એરિયા-રેફર ટુ ડિસલેફલેટ લીફલેટ.

મિલેર ઐમઝેડ

મેટાલેક્સલ 8% + મૅનકોઝેબ 64% ડબલ્યુ.પી. (અંતરપ્રવાહી અંડે મૅપચ ઈન્ફૂટીનાશક)

મેટાલેક્સલ 8% + મૅનકોઝેબ 64% ડબલ્યુ.પી. એક અચ્ચત સક્રિય યુલનશીલ પાવડર છે, જો કિ સિસ્ટેમિક ફન્ફૂટનાશક મેટાલેક્સલ તથા ઢેહિક ફન્ફૂટનાશક મૅનકોઝેબ કા મિશ્રણ છે. ઇસમ 80 ગ્રામ/કિલો, મેટાલેક્સલ (8% મ/મ) તથા 640 ગ્રામ/કિલો, મૅનકોઝેબ (64% મ/મ) હોતા છે. મેટાલેક્સલ 8% + મૅનકોઝેબ 64% WP ensure a double protection to the target plants during the period of active growth from the inside due to systemic activity of metalaxy and from the outside due to contact activity of mancozeb.

Common Name of Disease	Dosage/HA	Dilution in Water (Ltr)	Waiting Period between last spray to harvest (Weeks)		
Black Pepper	Phytophthora foot rot	1.8 g a.i./ vine or 2.5 g/ 25 or 0.09% a.i.	2 lit/vine (spraying) 5 lit/vine (soil drenching)	Not less than 21 weeks	
Grapes	Downy Mildew	2000 or 0.4%	2500 or 0.5%	500	Notless than 7 weeks
Mustard	White rust and Alternaria blight	1800 or 0.18%	2500 or 0.25%	1000	Notless than 8 weeks
Pearl millet	Downy mildew	1400 or 0.14%	2000 or 0.2%	500	Notless than 7 weeks
Potato	Late blight	0.28% or 1800 or 0.18%	0.4% or 2500 or 0.25%	1000	Notless than 7 weeks
Tobacco (Nursery)	Damping off	3600 or 0.072%	5000 or 0.1%	1000	Notless than 7 weeks
	Leaf blight, Black Shank	1440 or 0.14%	2000 or 0.2%	1000	Notless than 7 weeks

Direction of Use: Measure out the required quantity of the product and mix it well with a small quantity of water. Add the remaining quantity of water as specified with thorough agitation. Adjust the quantity of product in proportion to the water required to cover a hectare when high volume spray equipment such as knapsack sprayers, hand compression sprayer are used. It is also suitable for low volume application with motorized knapsack sprayer, mist blowers etc. with flood jet nozzle.

Compatibility: At recommended rates, Metalaxy 8% + Mancozeb 64% WP is compatible with most other commonly used insecticides and fungicides except lime sulphur.

Time of Application: At the time of disease appearance.

Precautions: Do not use cooking utensils for preparing spray. Use stick for stirring the spray solution. Wear hand gloves to avoid contact with the skin. Also avoid inhalation and contact with eye. Wear protective clothing, mask, goggles, boots while spraying and do not expose yourself to spray drift. Do not blow nozzles with mouth. Do not eat, drink or smoke while handling or applying the product. Do not store unused spray solution. Clean sprayer, buckets and other utensils with water daily after use.

Wash hand with soap and plenty of water and change clothes after the work is over. Also wash the contaminated clothes. Do not contaminate streams, ponds, waterways etc. by discharging leftover spray materials into them or by cleaning sprayers, contaminated buckets etc. in them.

Do not use spray when bees are active. When used at recommended dosages, no adverse effect on wild life is expected.

Warning: Experience has shown that strains of fungus resistant to metalaxy may develop, resulting in a reduction in the efficacy of the product and thus in yield losses since the occurrence of resistance cannot be foreseen. Registrant, accept no responsibility for any loss of or damages to crop resulting from the failure of Metalaxy 8% + Mancozeb 64% WP to control the resistant strains.

Liability clauses: Recommendations for product usage based on the latest level of expertise of the manufacturer. Many factors such as weather and soil conditions, plant type, resistance, spraying technique and other applications may influence the effect of the product. Since the use of this product is beyond our control, we cannot assume any responsibility other than the uniform quality. The manufacturer warrants the quality of the product if acquired by the user in sealed, original packaging.

Symptoms of Poisoning: Sedation, dyspnoea, exophthalmos, abnormal posture, tightness in muscles may occur.

First Aid: Upon laboratory conditions the following unspecific poisoning symptoms were observed in rats. In case of poisoning , call a physician immediately. In case of poisoning by ingestion through mouth, victim should be induced to vomit. In case of external contamination wash off contamination by soap water and remove the contaminated clothes and keep the victim in fresh air.

Phytotoxicity: The product is not phytotoxic when used as per field recommendation.

Antidote: No specific antidote is known. Treat symptomatically.

Dispose of Used Container: 1. Packages or surplus materials and washing from the machine and containers should be disposed of in a safe manner so as to prevent environmental water pollution. 2. The used packages shall be left to be left outside to prevent their re-use. 3. Packages shall be broken and buried away from habitation.

Storage Conditions: 1. The package containing the fungicides shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles particularly articles of food or shall be kept in separate almirahs under lock and key depending upon the quantity and nature of the fungicide. 2. The room or premises meant for storing the insecticide shall be well built, dry, well lit and ventilation and of sufficient dimension to avoid contamination with vapour.

Chemical Composition:

Metalaxy a.i.	8.00% w/w
Mancozeb a.i.	64.00% w/w
Dispersing Agent: Condensate of Formaldehyde & naphthalene Phenol sulfonic acid sodium salt or equiv.	1.40% w/w
Non-aqueous liquid solvents/organic carrier	
Surfactant	
Wetting Agent: Stearyl-benzimidazole disulphonate acid sodium salt or equivalent	0.60% w/w
Carriers: Silica acid	0.60% w/w
Kaolin	QS % w/w
Total:	100.00% w/w

Labeling: 1. Not to Be Used on Crops other than Specified on this Label/Leaflet. 2. Not to Be Used for Post-harvest Application. 3. Destroy the container after use as directed on leaflet. 4. Directions and dosage for poly house and confined area-refer to the leaflet.

સામાન્ય માહતી:

1. Not to Be Used on Crops other than Specified on this Label/Leaflet.
2. Not to Be Used for Post-harvest Application.
3. Destroy the container after use as directed on leaflet.
4. Directions and dosage for poly house and confined area-refer to the leaflet.

સામાન્ય માહતી:

1. નોટ બે યુસ્ડ ઓન ક્રોપ્સ ઓથર ઠાન સ્પેસિફાઇડ ઓન ડિસલેફલેટ.
2. નોટ ટુ બે યુસ્ડ ફોર પોસ્ટ-હાર્વેસ્ટ અપ્લિકેશન.
3. ડેસ્ટ્રોય ઠાનકોન્ટેનર અફર યુસ્ડ અસ ડિરેક્ટ્ડ ઓન લીફલેટ.
4. ડિરેક્શન્સ ઓન્ડ ડોસેજ ફોર પોલી હાઉસ ઓન્ડ કન્ફાઇન્ડ એરિયા-રેફર ટુ ડિસલેફલેટ લીફલેટ.

માયલોર એમઝેડ

મેટાલેક્સલ 8% + મૅનકોઝેબ 64% ડબલ્યુ.પી. (અંતરપ્રવાહી આગિ સંપર્ક સ્પર્શીય ફૂનાશક)

મેટાલેક્સલ 8% + મૅનકોઝેબ 64% ડબલ્યુ.પી. એક અંબીયતી ઈન્ફૂટનાશક છે, જો કિ સિસ્ટેમિક ફન્ફૂટનાશક મેટાલેક્સલ તથા ઢેહિક ફન્ફૂટનાશક મૅનકોઝેબ કા મિશ્રણ છે. ઇસમ 80 ગ્રામ/કિલો, મેટાલેક્સલ (8% મ/મ) તથા 640 ગ્રામ/કિલો, મૅનકોઝેબ (64% મ/મ) હોતા છે. મેટાલેક્સલ 8% + મૅનકોઝેબ 64% WP ensure a double protection to the target plants during the period of active growth from the inside due to systemic activity of metalaxy and from the outside due to contact activity of mancozeb.

Common Name of Disease	Dosage/HA	Dilution in Water (Ltr)	Waiting Period between last spray to harvest (Weeks)		
Black Pepper	Phytophthora foot rot	1.8 g a.i./ vine or 2.5 g/ 25 or 0.09% a.i.	2 lit/vine (spraying) 5 lit/vine (soil drenching)	Not less than 21 weeks	
Grapes	Downy Mildew	2000 or 0.4%	2500 or 0.5%	500	Notless than 7 weeks
Mustard	White rust and Alternaria blight	1800 or 0.18%	2500 or 0.25%	1000	Notless than 8 weeks
Pearl millet	Downy mildew	1400 or 0.14%	2000 or 0.2%	500	Notless than 7 weeks
Potato	Late blight	0.28% or 1800 or 0.18%	0.4% or 2500 or 0.25%	1000	Notless than 7 weeks
Tobacco (Nursery)	Damping off	3600 or 0.072%	5000 or 0.1%	1000	Notless than 7 weeks
	Leaf blight, Black Shank	1440 or 0.14%	2000 or 0.2%	1000	Notless than 7 weeks

Direction of Use: Measure out the required quantity of the product and mix it well with a small quantity of water. Add the remaining quantity of water as specified with thorough agitation. Adjust the quantity of product in proportion to the water required to cover a hectare when high volume spray equipment such as knapsack sprayers, hand compression sprayer are used. It is also suitable for low volume application with motorized knapsack sprayer, mist blowers etc. with flood jet nozzle.

Compatibility: At recommended rates, Metalaxy 8% + Mancozeb 64% WP is compatible with most other commonly used insecticides and fungicides except lime sulphur.

Time of Application: At the time of disease appearance.

Precautions: Do not use cooking utensils for preparing spray. Use stick for stirring the spray solution. Wear hand gloves to avoid contact with the skin. Also avoid inhalation and contact with eye. Wear protective clothing, mask, goggles, boots while spraying and do not expose yourself to spray drift. Do not blow nozzles with mouth. Do not eat, drink or smoke while handling or applying the product. Do not store unused spray solution. Clean sprayer, buckets and other utensils with water daily after use.

Wash hand with soap and plenty of water and change clothes after the work is over. Also wash the contaminated clothes. Do not contaminate streams, ponds, waterways etc. by discharging leftover spray materials into them or by cleaning sprayers, contaminated buckets etc. in them.

Do not use spray when bees are active. When used at recommended dosages, no adverse effect on wild life is expected.

Warning: Experience has shown that strains of fungus resistant to metalaxy may develop, resulting in a reduction in the efficacy of the product and thus in yield losses since the occurrence of resistance cannot be foreseen. Registrant, accept no responsibility for any loss of or damages to crop resulting from the failure of Metalaxy 8% + Mancozeb 64% WP to control the resistant strains.

Liability clauses: Recommendations for product usage based on the latest level of expertise of the manufacturer. Many factors such as weather and soil conditions, plant type, resistance, spraying technique and other applications may influence the effect of the product. Since the use of this product is beyond our control, we cannot assume any responsibility other than the uniform quality. The manufacturer warrants the quality of the product if acquired by the user in sealed, original packaging.

Symptoms of Poisoning: Sedation, dyspnoea, exophthalmos, abnormal posture, tightness in muscles may occur.

First Aid: Upon laboratory conditions the following unspecific poisoning symptoms were observed in rats. In case of poisoning , call a physician immediately. In case of poisoning by ingestion through mouth, victim should be induced to vomit. In case of external contamination wash off contamination by soap water and remove the contaminated clothes and keep the victim in fresh air.

Phytotoxicity: The product is not phytotoxic when used as per field recommendation.

Antidote: No specific antidote is known. Treat symptomatically.

Dispose of Used Container: 1. Packages or surplus materials and washing from the machine and containers should be disposed of in a safe manner so as to prevent environmental water pollution. 2. The used packages shall be left to be left outside to prevent their re-use. 3. Packages shall be broken and buried away from habitation.

Storage Conditions: 1. The package containing the fungicides shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles particularly articles of food or shall be kept in separate almirahs under lock and key depending upon the quantity and nature of the fungicide. 2. The room or premises meant for storing the insecticide shall be well built, dry, well lit and ventilation and of sufficient dimension to avoid contamination with vapour.

Chemical Composition:

Metalaxy a.i.	8.00% w/w
Mancozeb a.i.	64.00% w/w
Dispersing Agent: Condensate of Formaldehyde & naphthalene Phenol sulfonic acid sodium salt or equiv.	1.40% w/w
Non-aqueous liquid solvents/organic carrier	
Surfactant	
Wetting Agent: Stearyl-benzimidazole disulphonate acid sodium salt or equivalent	0.60% w/w
Carriers: Silica acid	0.60% w/w
Kaolin	QS % w/w
Total:	100.00% w/w

Labeling: 1. Not to Be Used on Crops other than Specified on this Label/Leaflet. 2. Not to Be Used for Post-harvest Application. 3. Destroy the container after use as directed on leaflet. 4. Directions and dosage for poly house and confined area-re