





# Label Size 200ml (Size: 201mm x 70mm)

## ROTRIF ULTRA

**Thiamethoxam 12.6% + Lambda Cyhalothrin 9.5% ZC**

**Systemic and Contact Insecticide**

**Read enclosed the leaflet before use. Chemical Composition:** Thiamethoxam (a.i.): 12.6% w/w, Lambda-cyhalothrin (a.i.): 9.5% w/w, Octadecanoic acid, 12-hydroxy-homopolymer, octadecanoate (Polymer): 0.83% w/w, Styrylphenol polyethoxyester phosphate: 1.17% w/w, Sodium lignosulfonate ethoxylated: 1.17% w/w, Ammonia: 0.25% w/w, Sulfuric acid: 0.54% w/w, Lignosulfonate sodium Salts: 1.04% w/w, Polydimethylsiloxane: 0.10% w/w, Copolymer butanol: 0.50% w/w, Dicyclopentadiene sulfonic acid, sodium salt: 0.17% w/w, DL-propanediol-(1,2):0.20% w/w, Propane- 1,2,3-triol: 5.84% w/w, Heteropolyaccharide: 0.20% w/w, 1,2-benzisothiazolin-3-one: 0.28% w/w, Titanium dioxide: 0.99% w/w, Isocyanic acid, methyl-m-phenylene ester: 1.58% w/w, Mixture of aromatic hydrocarbons (Solvent C-9): 7.76% w/w, Water: 0.2% w/w. **Total: 100% w/w. Crops and Pest Group:** It is recommended to control Thrips & Fruit borer in Chilli, Aphids, Jassids, Thrips & Bollworms in Cotton; Leaf Hopper, Leaf-eating caterpillars in Groundnut, Aphid, Shoot fly, Stem borer in Maize; Stem fly, Semilooper, Girdle beetle in Soybean; Thrips, Semilooper, Tea mosquito bug in Tea; Thrips, Whiteflies, Fruit borer in Tomato crop. **Direction of Use:** Read enclosed leaflet carefully before use. **Precautions:** Read enclosed leaflet carefully before use. **Antidote:** No specific antidote is known. Apply symptomatic therapy. **First Aid:** 1. Remove the affected person from the danger zone to a well-ventilated area or to fresh air and protect him from under cooling. 2. In case of suspected poisoning: immediately call a physician. 3. In case of skin contact: Remove contaminated clothing and thoroughly wash the affected parts of the body with soap and water. 4. In case of eye contact: Rinse eyes with clean water for several minutes and immediately call a physician. 5. In case of ingestion: Repeatedly administer medicinal charcoal in a large quantity of water. Note: Never give anything by mouth to an unconscious person. Do not induce vomiting. **Symptoms:** Poisoning symptoms in rodents are non-specific, may cause symptoms of ataxia, salivation, lachrymation and decreased breathing etc. **Warning:** 1. Not to be used on crops and other than those mentioned on label and leaflets 2. Not to be used for Post-Harvest Applications 3. Destroy the container after use as directed on leaflet 4. Directions and dosage for poly houses and confined areas - Refer the leaflet. 5. Do not spray during active bee-foraging period of the day. 6. Use with care to avoid air/dust contamination of the cropping area.

रोट्रीफ अल्ट्रा

# ROTRIF ULTRA

Thiamethoxam 12.6% + Lambda Cyhalothrin 9.5% ZC

## रोट्रीफ अल्ट्रा

थायामेथोक्साम १२.६% + लैम्ब्डा साइहैलोथ्रिन ९.५% ज़ेडसी

जहर  
POISON  
अल्ट्रा

INSECTICIDE

कीटनाशक

Net Content 200 ml  
रुद्र मात्रा २०० मि.ली.

Regn. No.: CIR-229984/2022-Thiamethoxam + Lambda-Cyhalothrin (ZC) (442)-735  
 रजि. नं.: सीआईएन-२२९९८४/२०२२-थायामेथोक्साम + लैम्ब्डा साइहैलोथ्रिन (जेडसी)(५५२)-७३५  
**Manufacture Lic No.:** ML/DPP/2022-23/187 **उत्पादन लाइसेंस नं.:** एएल/जेडीसीपी/२०२२-२३/१८७  
**Manufactured & Marketed By:** Mis Rotam Crop Protection Pvt. Ltd., 175, Kagawala House, 2nd Floor, Vidyanagri Marg, Kalina, Santacruz (E), Behind Honda Showroom, Mumbai, Maharashtra- 400098.  
**निर्माता और विपणनकर्ता :** मि. रोतम क्रॉप प्रोटेक्शन प्रायव्हेट लिमिटेड, १७५, कागलवाला हाउस, तुररी मॉडल, विद्यानगरी मार्ग, कलिना, सांतक्रुज (ई), होंडा शोरोम के पीछे, मुंबई, महाराष्ट्र - ४०००९८।  
**Factory Address:** G-155, RICO Industrial Area, Sanwad - Fatehnagar, Mavali, District Udaipur - 315205, Rajasthan, India.  
**फैक्टरी :** सी-१५५, रिको इंडस्ट्रियल एरिया, सन्वाड-फतेहनगर, मेहरील-मक्ली, जिला-उदयपुर - ३१५२०५, राजस्थान, भारत।

**For any Complaints contact Customer Care Executive at Registered Office Address, Tel: 18003000335, Email: contactin@albaughlic.com**

Batch No.:  
 डीएनः  
 डीएनः  
 Mfg. Date:  
 उत्पादन तिथि:  
 डेटा एडोबो:  
 Exp. Date:  
 एक्सपिरीरिडि:  
 वेबसाइट: www.albaughlic.com  
 Maximum retail price inclusive of all taxes in Indian currency ₹  
 अधिकतम बिक्रय मूल्य एफ़ी ऑफ़ इंडियन क्यूरेंसी इन्डियन रुपैस ₹  
 शुद्ध मात्रा (मि.ली) २००  
 इन्डियन रुपैस २०० रु.मी.  
 Net Content 200 ml शुद्ध मात्रा २०० मि.ली.  
 ®-Registered Trademark.

Re-entry: 48 hours पुनः अल्ट्रा ४८ घंटे  
**Keep in dry place away from open heat or open flame.**  
 सूखी और ठण्डी जगह में आग से दूर रखें।  
 For Agriculture Use Only. केवल कृषि उपयोग के लिए।  
 Imitation of label graphics is a punishable offence.

PANTONE 193 C

■

PANTONE 2012 C

‘A’ watermark 10% of base color

# Label Size 80ml (Size: 143mm x 70mm)

**ROTRIF ULTRA** Thiamethoxam 12.6% + Lambda Cyhalothrin 9.5% ZC Contact Insecticide

**Read enclosed the leaflet before use. Chemical Composition:** Thiamethoxam (a.i.) 12.6% w/w, Lambda-cyhalothrin (a.i.) 9.5% w/w, Octadecanoic acid, 1,2-bis(2-propyl-hydroxypropyl)-octadecanoate (Polymer) 0.85% w/w, Styrylphenyl polyethoxyester phosphate, 1.17% w/w, Sodium lignosulfonate ethoxylated, 1.17% w/w, Ammonia, 0.25% w/w, Sulfuric acid, 0.84% w/w, Lignosulfonate sodium Salt, 1.04% w/w, Polydimethylsiloxane, 0.17% w/w, Copolymer butadiol, 0.56% w/w, Dodecylbenzenesulfonic acid, sodium salt, 0.17% w/w, Di-nonylphenol, 0.17% w/w, Propylene, 1.25% w/w, Heteropolysaccharide, 0.20% w/w, 1,2-benzisothiazolin-3-one, 0.20% w/w, Titanium dioxide, 0.96% w/w, Isopropyl alcohol, methylphenylene ether, 1.54% w/w, Mixture of aromatic hydrocarbons (Solvent C-8), 7.76% w/w, Water, 0.25% w/w. Total: 100% w/w. **Crops and Pest Group:** It is recommended to control Thrips & Fruit borer in Citrus, Apple, Jassids, Thrips & Bollworms in Cotton, Leaf hopper, Leaf mining caterpillars in Groundnut, Aghad, Shoot fly, Stem borer in Maize, Stem & Sawfly, Green Graph borer in Soybean, Thrips, Stem borer, Top mosquito bug in Tea, Thrips, Whiteflies, Fruit borer in Tomato crops. **Direction of Use:** Read enclosed leaflet carefully before use. **Precautions:** Read enclosed leaflet carefully before use. **Antidote:** No specific antidote is known. Apply symptomatic therapy. **First Aid:** 1. Remove the affected person from the danger zone to a well-ventilated area or to fresh air and protect him from under cooling. 2. In case of suspected poisoning, immediately call a physician. 3. In case of skin contact: Remove contaminated clothing and thoroughly wash the affected parts of the body with soap and water. 4. In case of eye contact: Rinse eyes with clean water for several minutes and immediately call a physician. 5. In case of ingestion: Immediately administer medical attention in a large quantity of water. **Note:** Never give anything by mouth to an unconscious person. Do not induce vomiting. **Symptoms:** Poisoning symptoms in rodents are non-specific, may cause symptoms of ataxia, salivation, tachypnoea and decreased breathing etc. **Warning:** 1. Not to be used on crops and other than those mentioned on label and leaflet. 2. Not to be used for Post-Harvest Applications. 3. Observe the container after use as directed on leaflet. 4. Directions and dosage for poultry houses and confined area - Refer the leaflet. 5. Do not spray during active bee-flying period of the day. 6. Use with care to avoid antibiotic contamination of the cropping area.

**रोट्रीफ अल्ट्रा** थायामेथोक्साम १२.६% + लैम्ब्डा साइहैलोथ्रिन ९.५% ज़ेडसी

**धायामेथोक्साम १२.६% + लैम्ब्डा साइहैलोथ्रिन ९.५% ज़ेडसी**

**रसायनिक संयोजन**

रोट्रीफ अल्ट्रा (अ.स.) १२.६% w/w, ऑक्टडेकनॉइक एसिड, १,२-बिस(२-प्रॉपिल-हाइड्रोप्रॉपिल)-ऑक्टडेकनॉइक (पोलीमर) ०.८५% w/w, स्टाइरिलफेनिल पॉलीएथोक्सीएस्टर फॉस्फेट, १.१७% w/w, सोडियम लिग्नोसल्फोनेट एथोक्सीलेटेड, १.१७% w/w, अमोनिया, ०.२५% w/w, सल्फ्यूरिक एसिड, ०.८४% w/w, लिग्नोसल्फोनेट सोडियम साल्ट, १.०४% w/w, पॉलीडायमिथिलसिलॉक्सोन, ०.१७% w/w, कॉपीपॉलीमर ब्यूटाडायोल, ०.५६% w/w, डोडेसिलबेन्जेन्सल्फोनेटिक एसिड, सोडियम साल्ट, ०.१७% w/w, डी-नॉनॉइलफेनॉल, ०.१७% w/w, प्रॉपिलीन, १.२५% w/w, हेटेरोपोलिसैक्यारिड, ०.२०% w/w, १,२-बेन्जिसोथायोलिडोन-३-ओन, ०.२०% w/w, टायटानियम डायऑक्साइड, ०.९६% w/w, इसोप्रॉपिल अल्कोहॉल, मीथिलफेनिलीन ईथर, १.५४% w/w, मिश्रित अरोमैटिक हाइड्रोकार्बन (सॉल्वेंट सी-८), ७.७६% w/w, वाटर, ०.२५% w/w. **कुल: १००% w/w.** **कृषि और रोग समूह:** इसे सिफारिश किया जाता है कि फलों और सब्जियों में फलों की चूड़ियों और फलों की चूड़ियों को नियंत्रित करने के लिए। **उपयोग:** सिफारिशों को ध्यान से पढ़ें। **सावधानियां:** **पहले उपयोग के लिए पत्रिका को ध्यान से पढ़ें।** **पहले उपयोग के लिए पत्रिका को ध्यान से पढ़ें।** **पहले उपयोग के लिए पत्रिका को ध्यान से पढ़ें।**

रोट्रीफ अल्ट्रा

**ROTRIF® ULTRA**

Thiamethoxam 12.6% + Lambda Cyhalothrin 9.5% ZC

**रोट्रीफ अल्ट्रा**

थायामेथोक्साम १२.६% + लैम्ब्डा साइहैलोथ्रिन ९.५% ज़ेडसी

**जहर POISON जेड**

**INSECTICIDE कीटनाशक**

Net Content 80 ml

सुद घनत्व ८० मि.ली.

**ALBAUGH** your alternative

Regn. No.: CR-22994/2022-Thiamethoxam + Lambda-Cyhalothrin (ZC) (442)-735

एच. नं.: सीएचएन-२२९९४/२०२२-थायामेथोक्साम + लैम्ब्डा साइहैलोथ्रिन (जे.सी.) (४४२)-७३५

Manufacture Lic. No.: ML/DPP/0122-23/167

उत्पादन लाइसेंस नं.: एमएल/डीपी/०१२२-२३/१६७

Manufactured & Marketed By: M/s Rotan Crop Protection Pvt. Ltd., 175, Kagalwala House, 2nd Floor, Vidyanagar Marg, Kalina, Santacruz (E), Behind Honda Showroom, Mumbai, Maharashtra-400008

निर्मित और बाजार में: ए. रोतन क्रॉप प्रोटेक्शन प्राइवेट लिमिटेड, १७५, कागलवाला हाउस, २<sup>nd</sup> फ्लोर, विद्यानगर मार्ग, कालिना, सान्क्रुज (ई), होंडा शोवरूम के पीछे, मुंबई, महाराष्ट्र - ४००००८

Factory Address: G-155, RIICO Industrial Area, Sarwad - Fahnagar, Masari, District Udaipur - 312005, Rajasthan, India

किसानों के लिए: ए. रोतन क्रॉप प्रोटेक्शन प्राइवेट लिमिटेड, १७५, कागलवाला हाउस, २<sup>nd</sup> फ्लोर, विद्यानगर मार्ग, कालिना, सान्क्रुज (ई), होंडा शोवरूम के पीछे, मुंबई, महाराष्ट्र - ४००००८

For any Complaints contact Customer Care Executive at Registered Office Address, Tel: 18003000235, Email: contactm@albaughinc.com

किसानों के लिए: ए. रोतन क्रॉप प्रोटेक्शन प्राइवेट लिमिटेड, १७५, कागलवाला हाउस, २<sup>nd</sup> फ्लोर, विद्यानगर मार्ग, कालिना, सान्क्रुज (ई), होंडा शोवरूम के पीछे, मुंबई, महाराष्ट्र - ४००००८

Net Content 80 ml सुद घनत्व ८० मि.ली.

Registered Trademark

Re-entry: 48 hours पुनर्प्रवेश: ४८ घंटे

Keep in dry place away from open heat or open flame. सूखी और लहसी जगह में आग से दूर रखें।

For Agriculture Use Only. कृषि के लिए उपयोग के लिए।

Inflation of label graphics is a punishable offence.

PANTONE 193 C

PANTONE 2012 C

‘A’ watermark 10% of base color

## Shipper Label Size 100ml (Size: 180mm x 110mm)

रोट्रीफ अल्ट्रा | रॉट्रिफ अल्ट्रा

# ROTRIF® ULTRA

Thiamethoxam 12.6% +  
Lambda Cyhalothrin 9.5% ZC


## रोट्रीफ अल्ट्रा

थायामेथोक्साम १२.६% +  
लैम्बडा साइहेलोथ्रिन ९.५% झेडसी


Keep all of the labels of children  
बच्चों को पहुँच से दूर रखिए

जहर  
POISON  
अेर

अपराधकारी पाठकेवाला ६२ संकेत



**INSECTICIDE**  
कीटनाशक



**ALBAUGH®**  
your alternative


### PACKING

**Regn. No.:** CIR-229994/2022-Thiamethoxam + Lambda-Cyhalothrin (ZC) (442)-735  
**रजि. नं.:** सीआईआर-२२९९९४/२०२२-थायामेथोक्साम + लैम्बडा साइहेलोथ्रिन (झेडसी)(४४२)-७३५  
**Manufacture Lic No.:** MLJDDPP/2022-23/187  
**उत्पादन लाइसेंस नं.:** एमएल/जेडीपीपी/२०२२-२३/१८७  
**Manufactured & Marketed By:** M/s Rotam Crop Protection Pvt. Ltd., 175, Kagahwala House, 2nd Floor, Vidyanageri Marg, Kalina, Santacruz (E), Behind Honda Showroom, Mumbai, Maharashtra- 400098.  
**निर्माता और विपणनकर्ता :** मे. रोटैम क्रॉप प्रोटेक्शन प्रायव्हेट लिमिटेड, १७५, कागलवाला हाऊस, दुसरी मंजिल, विद्यानगरी मार्ग, कलिना, सांताक्रुज (पु.), होंडा शोरूम के पीछे, मुंबई, महाराष्ट्र - ४०००९८।  
**Factory Address:** G-155, RIICO Industrial Area, Sanwad - Fatehnagar, Mavali, District Udaipur - 313205, Rajasthan, India.  
**फैक्टरी :** जी-१५५, रीको इंडस्ट्रियल एरिया, सनवाड-फतेहनगर, तेहरिल-मावली, जिला-उदयपुर - ३१३२०५, राजस्थान, भारत।

**For any Complaints contact Customer Care Executive at Registered Office Address, Tel: 180030003335, Email: [contactin@albaughllc.com](mailto:contactin@albaughllc.com)**

**Batch No. / बैच नं. / बैच नं.:**  
**Mfg. Date / उत्पादन तिथि :**  
উৎপাদন তারিখ:  
**Exp. Date / समापन तिथि :**  
अवधि समाप्तिनी तारीख:  
**Maximum retail price ₹:**  
inclusive of all taxes  
अधिकतम खुदरा मूल्य ₹ :  
सभी करों सहित  
वधुभां वधु रीटेल किंमत ₹ :  
इस्येरा साथै

© - Registered Trademark Re-entry: 48 hours पुनःप्रविष्टी : ४८ घंटे  
**Keep in dry place away from open heat or open flame.**  
सूखी और ठण्डी जगह में आग से दूर रखें। Imitation of label graphics is a punishable offence.  
For Agriculture Use Only. केवल कृषि उपयोग के लिए।



THIS SIDE UP



 PANTONE 193 C

 PANTONE 2012 C

 'A' watermark 10% of base color



